

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	60	((head) near (adjust\$4) and (load adj1 beam))	USPAT ; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/09/06 11:00			0
2	BRS	L3	18	l1 and laser	USPAT ; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/09/06 11:05			0
3	BRS	L5	947	((head) near (adjust\$4)) and (laser)	USPAT ; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/09/06 11:24			0
4	BRS	L6	629	((head) near (adjust\$4)) and (laser) and (skew or angle or height)	USPAT ; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/09/06 11:24			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
5	BRS	L7	90	((head) near (adjust\$4)) and (laser) and (skew or angle or height) and (magnetic adj1 head)	USPAT ; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/09/06 11:25			0

WEST Search History

DATE: Saturday, September 06, 2003

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=USPT,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
L1	(head near adjust\$) and laser and (laser near shield)	2	L1

END OF SEARCH HISTORY